

## IN THE CLAIMS

Please amend the claims as follows:

Claims 1-15 (Canceled).

Claim 16 (New): Glazing comprising (a) at least one electrically controllable system having variable optical and/or energy properties, (b) at least one coating for adjusting the optical appearance conferred on the said glazing by the said system, said at least one coating having antireflection properties in the visible, wherein said coating having antireflection properties is deposited on at least one of the external faces of said glazing and comprises a stack of thin layers having alternately high and low reflective indices or a graded-refractive-index layer, and (c) at least one coating for attenuating/modifying the color of the glazing in reflection, wherein said at least one coating of component (c) acts to lower C\* saturation values in the (L, a\*, b\*) colorimetry system of the glazing in reflection.

Claim 17 (New): Glazing according to Claim 16, wherein the coating (b) also has antistatic properties, and includes a stack of thin layers at least one of which is made of an electrically conductive material comprising a doped-metal-oxide or conductive-polymer.

Claim 18 (New): Glazing comprising (a) at least one electrically controllable system having variable optical and/or energy properties, (b) at least one coating for adjusting the optical appearance conferred on the said glazing by the said system, said at least one coating having antireflection properties in the visible, wherein said coating having antireflection properties is deposited on at least one of the external faces of said glazing and comprises a stack of thin layers having alternately high and low reflective indices or a graded-refractive-

index layer, and (c) at least one coating for attenuating/modifying the color of the glazing in reflection, wherein the coating (c) is in contact with the electrically controllable system (a), in the form of a thin layer having a refractive index intermediate between those of the materials with which it is in contact on each of its faces.

Claim 19 (New): Glazing according to Claim 16, wherein the wherein the coating (c) includes a thin layer having a refractive index of between 1.6 and 1.9.

Claim 20 (New): Glazing according to Claim 16, wherein the coating (c) includes at least two superposed thin layers whose average refractive index is between 1.6 and 1.9.

Claim 21 (New): Glazing according to Claim 20, wherein the at least two superposed thin layers whose average refractive index is between 1.6 and 1.9 is an  $\text{SnO}_2/\text{SiO}_2$  or  $\text{SnO}_2/\text{SiO}_2/\text{SnO}_2$  stack.

Claim 22 (New): Glazing according to Claim 16, additionally including a carrier substrate and a primer/tie-layer coating for the electrically controllable system (a) with respect to the carrier substrate.

Claim 23 (New): Glazing according to Claim 22, wherein the carrier substrate comprises a polymeric/plastic material.

Claim 24 (New): Glazing according to Claim 16, which also includes a coating having hydrophilic/antimisting properties or having hydrophobic/anti-rain properties on at least one of its external faces.

Claim 25 (New): Glazing according to Claim 24, wherein the coating having hydrophobic properties includes at least one layer comprising a composition having at least one fluoroalkoxysilane, the alkoxy functional groups of which are directly linked to the silicon atom, a system of one or more aqueous solvents and at least one catalyst which is an acid and/or a Brönsted base.

Claim 26 (New): Glazing according to Claim 16, which also includes a coating having photocatalytic/antifouling properties.

Claim 27 (New): Glazing according to Claim 26, wherein the coating having photocatalytic/antifouling properties is located on at least one of its external faces.

Claim 28 (New): Glazing according to Claim 27, wherein the coating having photocatalytic/antifouling properties comprises  $\text{TiO}_2$  at least partially crystallized in the anatase form.

Claim 29 (New): Glazing according to Claim 16, which also includes at least one coating having electromagnetic screening properties.

Claim 30 (New): Glazing according to Claim 16, wherein the electrically controllable system (a) is a superposition of functional layers placed between two carrier substrates, each of the said substrates independently being rigid, semi-rigid or flexible.

Claim 31 (New): Glazing according to Claim 30, wherein the electrically controllable system (a) includes, as carrier substrate, at least one rigid substrate of which the glazing is

composed, and/or at least one flexible carrier substrate associated by lamination, with a rigid substrate of which the said glazing is composed.

Claim 32 (New): Glazing according to Claim 16, wherein the electrically controllable system (a) is a superposition of functional layers placed on a carrier substrate and provided with an inorganic or polymeric layer protective film.

Claim 33 (New): Glazing according to Claim 32, wherein the protective film is in the form of a lacquer or of a varnish.

Claim 34 (New): Glazing comprising (a) at least one electrically controllable system having variable optical and/or energy properties, (b) at least one coating for adjusting the optical appearance conferred on the said glazing by the said system, said at least one coating having antireflection properties in the visible, wherein said coating having antireflection properties is deposited on at least one of the external faces of said glazing and comprises a stack of thin layers having alternately high and low reflective indices or a graded-refractive-index layer, and (c) at least one coating for attenuating/modifying the color of the glazing in reflection, wherein the coating (c) is interposed between the electrically controllable system (a) and a substrate for said glazing.

Claim 35 (New): Glazing according to Claim 16, wherein the electrically controllable system (a) is an all-solid electrochromic system.

Claim 36 (New): Glazing according to Claim 16, wherein electrically controllable system (a) is in the form of a system comprising one or more reversible-insertion materials of

the electrochromic system or gasochromic system type, or in the form of an optical-valve or viologen-based system.

Claim 37 (New): Glazing according to Claim 16, wherein electrically controllable system (a) is in the form of a liquid-crystal or cholesteric-gel system.